


eProceedings of the 4th International Conference on Computing & Informatics Computing towards Developing Smart Community

ICOCI 2013 Kuching, Sarawak





|: <u>Editors</u> :|: <u>Organising Committee</u> :|: <u>Table of Contents</u> :|

Editors

Zulikha Jamaludin Noraziah ChePa Muhamad Shahbani Abu Bakar **Graphic Designer** Syamsul Bahrin Zaibon

Copyright © 2013 UUM College of Arts and Sciences. All Rights reserved. Published by Universiti Utara Malaysia, Sintok

This work is subject to copyright. All right are reserved. Whether the whole or part of the material is concerned, specifically the right of translating, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on papers, electronics or any other way, and storage in data banks without either the prior written permission of the Publisher, or authorization through payment of the appropriate fees as charged by the Publisher. Due care has been taken to ensure that the information provided in this proceeding is correct. However, the publisher bears no responsibility for any damage resulting from any inadvertent omission or inaccuracy of the content in the proceedings.

This proceeding is also published in electronic format.

Library cataloging – publication data Universiti Utara Malaysia, 2013

Proceedings of the 4thInternational Conference on Computing and Informatics 2013/ Universiti Utara Malaysia

1. Computing 2. Informatics

3. Smart community development

4. Strategic community planning XE "entrepreneurship"

ISSN 2289-3784 ISBN (PRINT) 978-983-2078-78-4 E-ISBN (ELECTRONIC) 978-983-2078-79-1

Printed in Malaysia.



ICOCI 2013, International Conference on Computing and Informatics, Universiti Utara Malaysia, 06010 UUM Sintok, Kedah Darul Aman, Malaysia

LIST OF REVIEWERS

National Technical Committee

Professor Siti Salwah Salim

Associate Professor Mohd Nordin Abdul Rahman

Associate Professor Dr. Lim Hwee San

Associate Professor Dr. Masrah Azrifah Azmi Murad

Associate Professor Dr. Sazilah Salam Associate Professor Dr. Zurinah Suradi

Associate Professor Ir. Dr. Sivarao Subramonian

Associate Professor Dr. Mohammad Faiz Liew bin Abdullah

Dr. Ahmad Kamely bin Mohamad

Dr. Aida Mustapha Dr. Ang Mei Choo

Dr. Annamalai Chockalingam

Dr. Azhana Ahmad Dr. Azizah Suliman

Dr. Dayang Nurfatimah Awang Iskandar

Dr. Driman Hanafi

Dr. Edmund Ng Giap Weng

Dr. Lee Nung Kion

Dr. Mahani Binti Mohammad Abdu Shakur

Dr. Manmeet Mahinderjit Singh

Dr. Marzanah A. Jabar Dr. Mohamad Fadli Zolkipli Dr. Mohd Faizal Abdollah Dr. Mohd Farhan Md Fudzee

Dr. Muhammad Hafidz Fazli bin Md Fauadi

Dr. Nafisat A. Adedokun- Shittu Dr. Nor Fazlida Mohd Sani Dr. Norazlina Khamis Dr. Norhayati Mohd Ali Dr. Nurfadhlina Mohd Sharef Dr. Nurul Azma Zakaria Dr. Rahmah Lob Yussof

Dr. Tuty Asmawaty Abdul Kadir

Dr. Yusmadi Yah Jusoh Dr. Yusri Bin Arshad Dr. Zailani bin Abdullah

Dr. Siew Pei Hwa

Engr Vigneswara Rao Gannapathy

Ir. Ridza Azri Ramlee

Miss Manoranjitham Muniandy Mr. Ahmad Hadinata bin Fauzi Mr. Ibrahim Bin Ahmad Mr. Mohamad Lutfi Dolhalit Mr. Muhammad Naufal Mansor

Mr. Mujahid Tabassum

University of Malaya, Malaysia

Universiti Sultan Zainal Abidin, Malaysia Universiti Sains Malaysia, Malaysia Universiti Putra Malaysia, Malaysia

Universiti Teknikal Malaysia Melaka, Malaysia

Asia e University, Malaysia

Universiti Teknikal Malaysia Melaka (UTeM), Malaysia

University Tun Hussein Onn Malaysia, Malaysia Universiti Teknikal Malaysia Melaka, Malaysia

Universiti Putra Malaysia, Malaysia Universiti Kebangsaan Malaysia, Malaysia

SEAMEO RECSAM, Malaysia

Universiti Tenaga Nasional, Malaysia Universiti Tenaga Nasional, Malaysia Universiti Malaysia Sarawak, Malaysia Universiti Tun Hussein Onn Malaysia, Malaysia

Universiti Malaysia Sarawak, Malaysia
Universiti Malaysia Sarawak, Malaysia
Universiti Malaysia Sarawak, Malaysia
Universiti Sains Malaysia, Malaysia
Universiti Putra Malaysia, Malaysia
Universiti Malaysia Pahang, Malaysia
Universiti Teknikal Malaysia, Malaysia
Universiti Tun Hussein Onn Malaysia, Malaysia

Universiti Teknikal Malaysia Melaka (UTeM), Malaysia

International Islamic University, Malaysia Universiti Putra Malaysia, Malaysia University of Malaya, Malaysia Universiti Putra Malaysia, Malaysia

Universiti Putra Malaysia, Malaysia

Universiti Teknikal Malaysia Melaka (UTeM), Malaysia Universiti Teknologi MARA Pahang, Malaysia

UTAR, Malaysia

Universiti Malaysia Pahang, Malaysia Universiti Putra Malaysia, Malaysia

Universiti Teknikal Malaysia Melaka, Malaysia Universiti Malaysia Terengganu, Malaysia

Universiti Teknikal Malaysia Melaka (UTeM), Malaysia Universiti Teknikal Malaysia Melaka (UTeM), Malaysia

Universiti Tunku Abdul Rahman, Malaysia Universiti Malaysia Sarawak, Malaysia Universiti Teknikal Malaysia Melaka, Malaysia Universiti Teknikal Malaysia, Malaysia

Universiti Malaysia Perlis, Malaysia

Swinburne University of Technology Sarawak, Malaysia

Mr. Ng Liang Yew
Mr. Sabri M. Hanshi
Mr. Saifudin Hafiz Yahaya
Mr. Sazalinsyah Razali
Mr. Suliman Mohamed
Mr. Syahrul Nizam Junaini
Mr. Warusia Mohamed
Mrs Hafiza binti Abas
Mrs Iznora Aini Zolkifly
Mrs Norjihan Abdul Ghani
Mrs Rosmila Abdul Kahar
Mrs Siti Hafizah Ab Hamid

Ms Sakena Abdul Jabar

Universiti Malaysia Sarawak, Malaysia
Universiti Sains Malaysia, Malaysia
Universiti Teknikal Malaysia Melaka, Malaysia
Universiti Teknikal Malaysia Melaka, Malaysia
Universiti Sains Malaysia, Malaysia
Universiti Malaysia Sarawak, Malaysia
Universiti Putra Malaysia, Malaysia
Universiti Teknologi Malaysia, Malaysia
UNITAR International Universiti, Malaysia
University of Malaya, Malaysia
Universiti Tun Hussein Onn Malaysia, Malaysia

University of Malaya, Malaysia Universiti Malaysia Sarawak, Malaysia

Local Technical Committee (Universiti Utara Malaysia)

Associate Professor Hatim Mohamad Tahir

Dr. Abdul Jaleel Kehinde Shittu

Dr. Angela Amphawan

Dr. Ariffin Abdul Mutalib

Dr. Azham Hussain

Dr. Azida Zainol

Dr. Azman Taa

Dr. Fadhilah Mat Yamin

Dr. Farzana Kabir Ahmad

Dr. Faudziah Ahmad

Dr. Haslina Mohd

Dr. Husniza Husni

Dr. Kashif Nisar

Dr. Massudi Mahmuddin

Dr. Mazni Omar

Dr. Mohd Khairie Ahmad

Dr. Mohd Nizam Omar

Dr. Mohd Syazwan Abdullah

Dr. Noorulsadiqin Azbiya Bt Yaacob

Dr. Nor Intan Saniah Sulaiman

Dr. Norani Nordin

Dr. Norliza Katuk

Dr. Shahrudin Awang Nor

Dr. Shahrul Azmi bin Mohd Yusof

Dr. Siti Sakira Kamaruddin

Dr. Sobihatun Nur Abdul Salam

Dr. Syamsul Bahrin Zaibon

Dr. Yuhanis Yusof

Mr. Abdul Manaf Bohari

Mr. Adib M. Monzer Habbal

Mr. Ahmad Hanis Mohd Shabli

Mr. Jasni bin Ahmad

Mr. Suwannit Chareen Chit

Mr. Wan Hussain Wan Ishak

Mrs. Zahurin Mat Aji

Mrs. Nafishah Othman

Mrs. Nur Azzah Abu Bakar

Ms. Arul Jothi K.Maheshvaran

INTERNATIONAL TECHNICAL COMMITTEE

Professor Antonios Andreatos Hellenic Air Force Academy, Div. of Computer Engineering & Information Science, GREECE

Professor Constantin Popescu

Professor Zahéra Mekkioui

University of Oradea, Romania

University of Tlemcen, Algeria

Assistant Professor Dr. Yahya Mohammed AlMurtadha University of Tabuk, Kingdom of Saudi Arabia KSA

Associate Professor Dr. Tiberiu Socaciu

University of Suceava, Romania

Associate Professor Eugenia IANCU

Stefan cel Mare University Suceava, Romania

Associate Professor Eugenia IANCU

Stefan cel Mare University Suceava, Roi
Associate Professor Nica

Emanuela-Alisa, Romania

Associate Professor Philippe Fournier-Viger University of Moncton, Canada

Associate Professor Svetla Vassileva Institute of System Engineering and Robotics with

Bulgarian Academy of Sciences, Bulgaria

Dr. Agung Sediyono

Universitas Trisakti, Indonesia

Dr. Ana-Cornelia Badea

Technical University of Civil Engineering

Bucharest, Romania

Dr. Gheorghe Grigoras

The "Gheorghe Asachi" Technical University of

Dr. Mofeed Turky Rashid

Iasi, Romania

University of Basrah, Iraq

Dr. Mohamad Izani bin Zainal Abidin

Strathclyde University, United Kingdom

Dr. Mohd Fairuz Shiratuddin Murdoch University, Australia

Dr. Sabibullah Anna University, Chennai, India

Dr. Santoso Wibowo Central Queensland University, Australia
Dr. Yilun Shang Singapore University of Technology and

Design, Singapore

Mr. Shukor Sanim Mohd Fauzi University of New South Wales, Australia

Mr. Md. Tahidul Islam University of Ulsan, South Korea



|: <u>Editors</u> :|: <u>Organising Committee</u> :|: <u>Table of Contents</u> :|

ICOCI2013 Organising Committee

PATRON

Prof. Dato' Dr. Mohamed Mustafa Ishak Vice Chancellor of Universiti Utara Malaysia

CONFERENCE CHAIR

Prof. Dr. Zulikha Jamaludin

CONFERENCE CO-CHAIR

Prof. Dr. Narayanan Kulathuramaiyer (UNIMAS)

VICE CHAIR

Nur Azzah Abu Bakar

TREASURER

Aniza Mohamed Din

SECRETARIAT

Dr. Norliza Katuk

Dr. Mazni Omar

SPONSORSHIP

Prof. Dr. Ku Ruhana Ku Mahamud Dr. Mohd Azlan Yahya Dr. Husniza Husni Nur Sherina James Abdullah (UNIMAS)

PROMOTION AND PUBLICITY

Wan Hussain Wan Ishak Dr. Syamsul Bahrin Zaibon

PROCEEDINGS

Prof. Dr. Zulikha Jamaludin Noraziah ChePa Dr. Muhamad Shahbani Abu Bakar

LOGISTICS, TRANSPORTATIONS, FOOD AND ACCOMMODATIONS

Suwannit Chareen Chit A/L Sop Chit Dr. Nooraini Yusoff Prof. Madya Dr. Jane Labadin Dr. Azman Bujang Masli (UNIMAS) Adam Francis (UNIMAS) Wan Hosen Wan Shekh (UNIMAS)



TABLE OF CONTENT

ABLE OF CONTENT	II
ST OF REVIEWERS	X
ATIONAL TECHNICAL COMMITTEE	X
OCAL TECHNICAL COMMITTEE (UNIVERSITI UTARA MALAYSIA)	XI
ITERNATIONAL TECHNICAL COMMITTEE	. XII
EYNOTES ADDRESS	XIII
CYBER SECURITY AS A CENTRAL STRATEGY FOR SMART COMMUNITY	1
BIG DATA CLUSTERING USING GRID COMPUTING AND ANT-BASED ALGORITHM	6
IMAGE/VIDEO INDEXING, RETRIEVAL AND SUMMARIZATION BASED ON EYE MOVEMENT	15
ECTION 1: COMPUTING & INFORMATICS	22
CHAPTER 1: OPTIMIZATION ALGORITHMS	23
MIXED VARIABLE ANT COLONY OPTIMIZATION TECHNIQUE FOR FEATURE SUBSET SELECTION AND MODEL SELECTION	24
MULTI OBJECTIVE GENETIC ALGORITHM FOR TRAINING THREE TERM BACKPROPAGATION NETWORI Ashraf Osman Ibrahim, Siti Mariyam Shamsuddin, Nor Bahiah Ahmad, and Sultan Noman Qasem	K 32
A NEW FEATURE SET PARTITIONING METHOD FOR NEAREST MEAN CLASSIFIER ENSEMBLES	<mark>39</mark>
SPECIES MOTIF EXTRACTION USING LPBS	45
SINGLE BASE STATION MOBILE-BASED LOCATION ESTIMATION TECHNIQUE	51
MULTI OBJECTIVE BEE COLONY OPTIMIZATION FRAMEWORK FOR GRID JOB SCHEDULING	58

	ROULETTE-TOURNAMENT SELECTION FOR SHRIMP DIET FORMULATION PROBLEM65
	Rosshairy Abd. Rahman and Razamin Ramli
	FOREX TRADING PREDICTION USING LINEAR REGRESSION LINE, ARTIFICIAL NEURAL NETWORK AND
	DYNAMIC TIME WARPING ALGORITHMS71
	Leslie C.O. Tiong, David C.L. Ng, and Yunli Lee
	MUSSELS WANDERING OPTIMIZATION ALGORITHM BASED TRAINING OF ARTIFICIAL NEURAL
	NETWORKS FOR PATTERN CLASSIFICATION
	Ahmed A. Abusnaina and Rosni Abdullah
_	CHAPTER 2: INTELLIGENT SYSTEMS & ROBOTICS86
	ALGORITHM FOR THE CLITICIZATION OF CONTEXT DEPENDENT PRONOUNS IN PASHTO LANGUAGE87
	Azizud Din, Bali Ranaivo-Malancon, and Alvin W. Yeo
	FEATURE EXTRACTION USING ACTIVE APPEARANCE MODEL ALGORITHM WITH BAYESIAN
	CLASSIFICATION APPROACH94
	Mohammad Nuruzzaman, Azham Hussain, Hatim Mohamad Tahir, and Mohamad Amir Abu Seman
	SHORT TERM ELECTRICITY PRICE FORECASTING USING NEURAL NETWORK
	Intan Azmira W. A. R, Rahman T. K. A, Z Zakaria, and Arfah Ahmad
	DETECTING OFF-LINE SIGNATURE MODEL USING WIDE AND NARROW VARIETY CLASS OF LOCAL
	FEATURE
	Agung Sediyono and YaniNur Syamsu
	ADAPTIVE K-MEANS METHOD FOR SEGMENTING IMAGES UNDER NATURAL ENVIRONMENT115
	Sharifah Lailee Syed Abdullah, Hamirul'Aini Hambali, and Nursuriati Jamil
	IMPLEMENTING ARTIFICIAL NEURAL NETWORKS AND GENETIC ALGORITHMS TO SOLVE MODELING
	AND OPTIMISATION OF BIOGAS PRODUCTION
	Abdul Sahli Fakharudin, Md Nasir Sulaiman, Jailani Salihon, and Norazwina Zainol
	METHODS FOR EVALUATING THE EFFECTIVENESS OF A C PROGRAMMING TEACHING TOOL127
	Azizah Suliman and Surizal Nazeri
	SPOKEN MALAY LANGUAGE INFLUENCE ON AUTOMATIC TRANSCRIPTION AND SEGMENTATION 133
	Husniza Husni, Yuhanis Yusof, and Siti Sakira Kamaruddin
	,
_	CHAPTER 3: COMPUTER SYSTEMS & NETWORKING138
	RED, GRED, AGRED CONGESTION CONTROL ALGORITHMS IN HETEROGENEOUS TRAFFIC TYPES 139
	Omid Seifaddini, Azizol Abdullah, and Hamid Vosough
	VIRTUAL FORCE ALGORITHM AND CUCKOO SEARCH ALGORITHM FOR NODE PLACEMENT TECHNIQUE
	IN WIRELESS SENSOR NETWORK
	Puteri Azwa Ahmad, M. Mahmuddin, and Mohd Hasbullah Omar

	POWER MANAGEMENT FOR DESKTOP COMPUTER: A REVIEW
	A PARALLEL DOWNLOADING STUDY OF LOCAL AREA NETWORK AT UNIVERSITI UTARA MALAYSIA158 Shahrudin Awang Nor, Muhammad Hafiz Razi, Mohd. Hasbullah Oma, and Hatim Mohamad Tahir
	INTEROPERABILITY OF MULTI-AGENT SYSTEM IN HETEROGENEOUS LEARNING MANAGEMENT SYSTEM (HLMS) BY DEPLOYING WIRELESS SENSOR NETWORKS (WSNS)165
	Amir K. M., S.A.R Al-Haddad, Shaiful Jahari bin Hashim Ali Idarous Adnan, and Rusli bin Hj Abdullah
	INBOUND TIME STAMPING FOR DETECTING ROGUE ACCESS POINT
	IMPROVING QUALITY OF SERVICE WITH RESPECT TO DELAY IN FIXED WIMAX NETWORK179 Ibrahim, A. L., Md Said, A., Nisar, K., and Mu'azu, A. A.
C	CHAPTER 4: DECISION SUPPORT SYSTEMS AND EXPERT SYSTEMS187
	ONTOLOGY-BASED GENERIC TEMPLATE FOR RETAIL ANALYTICS
	CLASSIFICATION AND DETECTION OF INTELLIGENT HOUSE RESIDENT ACTIVITIES USING MULTIAGENT
	Mohd. Marufuzzaman, M. B. I. Raez, M. A. M. Ali, and Labonnah F. Rahman
	INTELLIGENT IRAQI HEALTH SYSTEM (IIHS) USING ONLINE ANALYTICAL PROCESS (OLAP) MODEL201 Hayder Naser Khraibet, Ayad Hameed Mousa, and Muhamad Shahbani Abu Bakar
	MOBILE DATA WAREHOUSE ARCHITECTURE FOR PORTABLE paddy MANAGEMENT SYSTEM208 Muhamad Shahbani Abu Bakar, Azman Ta'a, and Muhamad Ashraf Muhamad Ridwan
	YOUTH PERSONAL DECISION AID (YOUTHPDA): THE PREFERRED YOUTH DECISION MAKING AREAS215 Norfiza Ibrahim, Norshuhada Shiratuddin, Siti Mahfuzah Sarif, Syamsul Bahrin Zaibon, Azizi Ab Aziz, and Haslina Mohd
	THE APPLICATION OF NEURAL NETWORKS AND MIN-MAX ALGORITHM IN DIGITAL CONGKAK222 Noraziah ChePa, Asmidah Alwi, Aniza Mohamed Din, and Muhammad Safwan
	TOWARDS BETTER MANAGEMENT OF DIABETES USING HePTEx228 Nur Azzah Abu Bakar, Saufidatul Ailin Rusli, and Fadzilah Siraj
C	CHAPTER 5: SOFTWARE DESIGN AND DEVELOPMENT234
	THE DESIGN AND DEVELOPMENT OF A MULTIMEDIA-ASSISTED MASTERY LEARNING COURSEWARE IN
	LEARNING OF CELLULAR RESPIRATION
	Fazzlijan Mohamed Adnan Khan and Mona Masood
	PERSUASION KNOWLEDGE FOR DESIGN COMMUNITY: DESIGN OF PTOOLKIT PROTOTYPE241 Aeni Zuhana Saidin, Catriona Macaulay, Nick Hine Nassiriah Shaari, and Asmidah Alwi

INFORMATION VISUALIZATION TECHNIQUES USAGE MODEL	247
AGILE PRACTICES: A COGNITIVE LEARNING PERSPECTIVE	253
DISCOVERING PERSONALITY TYPES AND DIVERSITY BASED ON SOFTWARE TEAM ROLES Abdul Rehman Gilal, Mazni Omar, and Kamal Imran Sharif	259
PREVENTING DUPLICATION OF DIGITAL AUDIO FILE IN PERSONAL DEVICE USING BIOLOGICAL INSPIRED AUDIO STORING MANAGEMENT PROCESS (BIASMP)	
Hammuzamer Irwan Hamzah, Low Tan Jung, and Ariffin Abdul Mutalib	
CHAPTER 6: SYSTEM, NETWORK SECURITY AND PRIVACY	271
A COMPARISON OF WATERMARKING IMAGE QUALITY BASED ON DUAL INTERMEDIATE SIGN BIT WITH GENETIC ALGORITHM	
Azman Yasin, Akram M. Zeki, and Ghassan N. Mohammed	
FEATURES SELECTION FOR IDS IN ENCRYPTED TRAFFIC USING GENETIC ALGORITHM	279
PENETRATION TESTING FOR LIBYAN GOVERNMENT WEBSITE	286
ANOMALY-BASED INTRUSION DETECTION THROUGH K-MEANS CLUSTERING AND NAIVES BA	-
Warusia Yassin, Nur Izura Udzir, Zaiton Muda, and Md. Nasir Sulaiman	
CHAPTER 7: HYBRID LEARNING SYSTEMS	304
A HYBRID FRAMEWORK BASED ON NEURAL NETWORK MLP AND K-MEANS CLUSTERING FOR	
INTRUSION DETECTION SYSTEM	305
A HYBRID INTRUSION DETECTION SYSTEM BASED ON DIFFERENTMACHINELEARNING ALGOR	ITHMS.312
Kayvan Atefi, Saadiah Yahya, Ahmad Yusri Dak, and Arash Atefi	
AN INDUCTIVE RULE LEARNING TECHNIQUE FOR TEXT MINING IN QUESTIONNAIRES	321
ARTIFICIAL NEURAL NETWORK AND SUPPORT VECTOR MACHINE IN FLOOD FORECASTING: A	
Azizah Suliman, Nursyazana Nazri, Marini Othman, Marlinda Abdul Malek, and Ku Ruhana Ku-Mahamu	
NATURAL LANGUAGE SEMANTIC EVENT EXTRACTION PIPELINE	333

CHAPTER 8: MULTIMEDIA SUPPORT & APPLICATIONS340
INHABITED VIRTUAL WORLD VIDEO MONTAGE AS COLLABORATION EXPERIENCE REFLECTION TOOL 341 Natalya Rudina Shamsuar and Hanafizan Hussain
NON-PERSONAL DIGITAL INTERPRETIVE MEDIA AT CULTURAL HERITAGE SITES
FOLKTALE CONCEPTUAL MODEL BASED ON FOLKTALE CLASSIFICATION SYSTEM OF TYPE, MOTIF, AND FUNCTION352
Harryizman Harun and Zulikha Jamaludin
MEASURING EMOTION: A NEW EVALUATION TOOL FOR VERY YOUNG CHILDREN358 Yusrita Mohd Yusoff, Ian Ruthven, and Monica Landoni
CHAPTER 9: DATA AND KNOWLEDGE ENGINEERING364
COMPARATIVE ANALYSIS OF DATA MINING TECHNIQUES FOR MEDICAL DATA CLASSIFICATION365 Lashari S. A. and Ibrahim R.
A COMPUTATIONAL METHOD TO ANSWER SEMANTIC QUESTIONS WITH CONSTRAINTS371 Nurfadhlina Mohd Sharef, Shahrul Azman Mohd Noah, Rabiah Abdul Kadir, and Azreen Azman
FEATURES SELECTION AND RULE REMOVAL FOR FREQUENT ASSOCIATION RULE BASED CLASSIFICATION
Izwan Nizal Mohd Shaharanee and Jastini Jamil
AL-QURAN THEMES CLASSIFICATION USING ONTOLOGY
CHAPTER 10: E-COMMERCE, E-BUSINESS, E-GOVERNMENT, M-COMMERCE390
THE CRITICAL SUCCESS FACTORS FOR E-GOVERNMENT IMPLEMENTATION IN JORDAN391 Ali M. AL-Naimat, Mohd Syazwan Abdullah, and Mohd Khairie Ahmad
CITIZEN IDENTIFICATION SYSTEM OF IRAQ: CHALLENGES AND BARRIERS IN ENABLING E-GOVERNMENT
SERVICES399 Marini binti Othman and Ammuthavali Ramasamy
CHAPTER 11: WEB-BASED SOFTWARE ENGINEERING405
IDENTIFICATION OF SUITABLE WEB APPLICATION DEVELOPMENT METHODS FOR SMALL SOFTWARE
FIRMS
STUDY OF THE ACCESSIBILITY DIAGNOSIS ON THE PUBLIC HIGHER INSTITUTIONS WEBSITES IN
MALAYSIA412
Hayfa.Y.Abuaddous, M.Z.Jali, and Nurlida Basir

CHA	APTER 12: FORMAL METHODS, VERIFICATION, VALIDATION	418									
T S S M CH A M SECT CH V K K A A R P In N	THE FORMAL SPECIFICATION FOR THE INVENTORY SYSTEM USING Z LANGUAGE										
	E USE OF FUZZY MEASURES IN ESTIMATING the INTERDEPENDENCIES BETWEEN ACADEMIC BJECTS										
	aznah Mat Kasim and Siti Rohana Goh Abdullah	0									
Сна	APTER 13: BUSINESS PERFORMANCE MANAGEMENT	432									
	LANDCSAPE OF ENTERPRISE RESOURCE PLANNING IMPLEMENTATION	.433									
SECT	TION 2: SMART COMMUNITY DEVELOPMENT	439									
Сна	APTER 14: COMMUNITY NEEDS	440									
	RTUAL HEALTH CONNECT: A COMMUNITY-BASED IMMUNISATION SCHEDULER AND MANAGER eng Siang Ooi and Yu-N Cheah	.441									
М	ERCEPTIONS OF A PRE-FILLED TAX RETURN SYSTEM AMONG PERSONAL INCOME TAXPAYERS IN IALAYSIA	. 447									
BA Ma	YBRID SUBJECTIVE EVALUATION OF RULE EXTRACTION ALGORITHM USING WEIGHTED SUBSETHO ASED (WSBA) OF FINANCIAL PERFORMANCE	_									
PE	APID WAY: THE DETERMINANTS FOR USER'S INTENTION TO USE RAPID WAY APPLICATION IN	.463									
NI	nan Valizadeh, Rosnah Idrus, and Nursakirah Ab Rahman Muton ECESSITY AND USABILITY ISSUES FOR CANCER CARE SYSTEM	.469									
	OMPOSITE WEB SERVICES TO SUPPORT TRAVEL INFORMATION SEARCHING	.475									
Сна	APTER 15: DIGITAL COMMUNITY	482									
UI	NTECEDENTS OF SATISFACTION IN THE EMERGING DIGITAL ECONOMY: A CASE STUDY IN AN RBANISED SETTING	.483									
_	NDERSTANDING STUDENTS' BEHAVIOR ON THE USE OF ONLINE SOCIAL NETWORKING	.488									

HAPTER 16: STRATEGIC COMMUNITY PLANNING, SOCIAL ENTREPRENEURSHII	/
A DEVELOPMENT OF SMART VILLAGE IMPLEMENTATION PLAN FOR AGRICULTURE: A PIONEI	ER PROJECT
IN MALAYSIA	495
Norizan Abdul Razak, Jalaluddin Abdul Malik, and Murad Saeed	
INFORMATION SOURCE, INFORMATION CHANNELS AND INFORMATION CHOICE: THE MEDIA	TING
EFFECT OF PERSONAL CHARACTERISTICs	503
Bilal Ahmad Ali Al-Khateeb and Zulkhairi B Mh Dahalin	
ANDROID-BASED APPLICATION TO ASSIST DOCTOR WITH ALZHEIMER'S PATIENT	511
Zaid A. Habash, Wan Hussain Wan Ishak, and Mohd. Hasbullah Omar	
AUTHOR INDEX	517
KEYWORDS INDEX	519

A NEW FEATURE SET PARTITIONING METHOD FOR NEAREST MEAN CLASSIFIER ENSEMBLES

Abdullah¹, Ku Ruhana Ku-Mahamud², and Agung Sediyono³

¹Universitas Islam Indragiri, Indonesia, abdialam@yahoo.com ²Universiti Utara Malaysia, Malaysia, ruhana@uum.edu.my

ABSTRACT. Nearest Mean Classifier (NMC) provides good performance for small sample size problem. However concatenate different features into a high dimensional feature vectors and process them using a single NMC generally does not give good results because of dimensionality problem. In this new method, the feature set is partitioned into disjoint feature subset based on diversity in ensemble. NMC ensemble is constructed by assigning each individual classifier in the ensemble with a cluster from different feature subset. The advantage of this method is that all available information in the training set is used. There is no irrelevant feature in the training set that was eliminated. Based on experimental results the new method shows a significant improvement with high statistical confidence.

Keywords: nearest mean classifier, feature set partitioning, ensemble classifier

INTRODUCTION

A well-known fast and simple classification algorithm is the Nearest Mean Classifier (NMC). NMC was introduced by Fukunaga (1990) as a classifier which uses the similarity between patterns to determine classification. For each class, NMC computes the class mean of the training patterns. Similarity values are obtained by calculating the Euclidean distance between the unknown patterns to the class mean of the training patterns. NMC classifies any unknown patterns to the class with the class mean closest to the test patterns. NMC has been successfully applied to many classification problems and showed good and robust performance (Shin & Kim, 2009). Furthermore NMC provides good performance for small sample size problem (Veenman & Tax, 2005). Small sample size problems are problems with the number of samples smaller than the number of features (Jain & Chandrasekaran, 1982).

Ensemble classifier aims to obtain the final classification decision by integrating the output of several individual classifiers (Han et al., 2007). The concept of ensemble classifier was first proposed by Suen et al. (1990) in order to improve the results of character recognition. In the literature, this research area is defined by a number of different names such as multiple classifier combination, multiple classifier system, combining classifiers, committees of learner, mixtures of experts, the consensus theory, hybrid methods, decision combination, multiple experts, cooperative agents, opinion pool and sensor fusion (Parvin et al., 2009). Regardless of the different names that have been defined, the ensemble classifier combines several classifiers to obtain the final classification result. Combining multiple classifiers is considered as a new direction for pattern classification. Ensemble classifier has been shown to be very helpful in improving the classification performance over single classifier approach (Du et al., 2009).

³UniversitasTrisakti, Indonesia, trisakti_agung06@yahoo.com

An approach that has been used to construct diverse classifier ensembles is the manipulation of input features. This approach assigns different subset of features among individual classifier in the ensemble and usually, the same base classifier is used. The main method of this approach is the random subspace method which assigns a random subset of the original features to individual classifier for the same training sample (Ho, 1998). However, feature subsets can overlap and their sizes are usually identical. Furthermore other methods that have similar idea with this method are the multiple feature subsets (Bay, 1998) and the attributes bagging (Bryll et al., 2003). These methods are similar in the way they assign features randomly to individual classifier in the ensemble. The differences are in the determination of subset and ensemble size. Another method that uses this approach is the feature set partitioning where the feature set is clustered into different feature subset. Classifier ensembles are constructed by assigning each individual classifier in the ensemble with a different feature subset from the pool of available features. The advantage of this approach is the used of available information in the training set. No irrelevant feature in the training set is eliminated. Irrelevant feature does not need to be eliminated in the combination of classifier because omitted feature may contain valuable information (Wang et al., 2005; Rokach, 2008). Therefore a new feature set partitioning method based on diversity measure for better NMC ensembles is proposed in this study.

PROPOSED METHOD

In this method, a group of classifier is built from the training set. A disjoint feature set decomposition is performed based on the original training set. Ensemble classifier is constructed based on the feature set decomposition. Prediction class label of unknown pattern is obtained by aggregating predictions using a combiner. In this study the normalized combination distance as has been adopted in Abdullah and Ku-Mahamud (2011) is used as a combiner. Figure 1 shows the framework of this method.




Figure 1. Framework of feature set partitioning method for classifier combination

An algorithm is developed to perform feature set decomposition based on diversity. Diversity is measured based on support diversity measure which is more frequently an agreement among individual NMC that provides small value diversity (Abdullah and Ku-Mahamud, 2012). Furthermore each NMC in ensemble is trained on a different projection of the original training set. The required inputs are the training set and class labels. The next step is to build

two feature subsets that give the maximum value of diversity to the ensemble. This step is repeated until all features are used for partition. Feature subsets that provide the maximum diversity measure is used to construct NMC ensembles. The flow chart for NMC ensembles construction is provided in Figure 2.




Figure 2. Flowchart of the diversity-based feature set partitioning algorithm for NMC ensembles

EXPERIMENTAL RESULTS

Classification experiments were performed on ten datasets. Pima, iris, wine, glass, liver, lenses, statlog (heart), ionosphere and soybean datasets were obtained from UCI machine learning repository, while fruit dataset is obtained by capturing images of fruit and are limited to several variants of apples, mangoes, oranges, pears and durian. Ten (10) experiments were performed on ten datasets to test the performance of the multiple NMC which has been constructed based on the new method and the results were compared with the performance of the original NMC. The average classification accuracy and standard deviation were computed. The results of the original nearest mean classifier accuracy on the ten datasets are presented in Table 1 while the results for multiple nearest mean classifiers (MNMC) accuracy using the diversity based feature partitioning algorithm on ten data sets are presented in Table 2.

Table 1. The accuracy of original nearest mean classifier (NMC)

Experiment #	Fruit	Pima	Iris	Wine	Glass	Liver	Lenses	Statlog	Ionosphere	Soybean
1	53.57	63.02	92.00	71.91	45.79	55.07	66.67	64.44	69.23	75.24
2	52.38	62.89	91.33	72.47	44.86	55.94	70.83	62.96	69.80	74.59
3	50.00	63.41	92.67	72.47	45.33	54.20	62.50	62.22	70.66	75.90
4	53.57	63.15	92.67	72.47	43.93	54.49	70.83	64.07	71.79	75.24
5	53.57	63.67	92.00	72.47	44.39	53.91	58.33	64.44	70.09	74.59
6	52.38	62.89	92.00	72.47	44.86	56.23	66.67	64.07	68.66	75.57
7	48.81	63.41	92.67	73.03	44.39	55.94	75.00	63.70	69.80	76.22
8	52.38	63.28	92.00	73.03	44.86	55.36	54.17	64.07	70.37	75.24
9	54.76	63.67	91.33	71.35	45.33	55.07	75.00	63.70	70.09	73.94
10	51.19	63.54	92.00	73.03	43.46	55.65	70.83	64.07	70.94	73.62
Average	52.26	63.29	92.67	72.47	44.72	55.19	67.08	63.78	70.14	75.02
Standard deviation	1.81	0.30	0.49	0.53	0.70	0.79	6.93	0.69	0.88	0.83

Table 2. The accuracy of multiple nearest mean classifiers combination (MNMC)

Experiment #	Fruit	Pima	Iris	Wine	Glass	Liver	Lenses	Statlog	Ionosphere	Soybean
1	95.24	67.06	87.33	95.51	37.85	53.33	75.00	79.26	80.06	75.57
2	96.43	67.71	86.67	93.26	48.60	55.07	62.50	82.59	76.92	76.55
3	97.62	68.49	88.00	93.82	47.20	52.75	75.00	84.44	76.35	75.90
4	92.86	68.23	87.33	92.70	47.66	54.49	75.00	84.81	73.79	72.64
5	96.43	67.84	86.00	92.13	48.60	49.57	87.50	85.93	78.35	75.57
6	86.90	67.71	87.33	95.51	50.00	55.36	70.83	82.22	79.49	74.59
7	94.05	67.45	86.00	93.26	50.00	53.04	58.33	82.22	75.50	71.34
8	97.62	67.32	86.67	92.70	48.60	56.23	66.67	82.22	79.20	81.11
9	97.62	68.10	86.67	94.38	47.66	53.91	54.17	85.19	74.07	73.29
10	96.43	67.58	87.33	93.82	50.00	54.49	66.67	82.59	79.49	76.55
Average	95.12	67.75	86.93	93.71	47.62	53.83	69.17	83.15	77.32	75.31
Standard deviation	3.29	0.43	0.64	1.15	3.58	1.85	9.66	1.96	2.33	2.68

The average accuracy of both methods is again presented in Figure 3.




Figure 3. The bar chart of comparison of new multiple NMC with original NMC

Paired sample t-test is used to analysis accuracy improvement of NMC. Different treatment of paired samples t-test was performed i.e. before and after applying the algorithm to NMC. One-tail t-test was performed to see whether the average of the samples of MNMC is larger than the average of the sample of original NMC. Hypothesis for one-tail t-test for paired two samples are denoted as follows:

 H_0 : $\mu_1 = \mu_2$ (mean accuracies of original NMC and multiple NMC are the same)

 H_1 : $\mu_2 > \mu_1$ (mean accuracy of multiple NMC is greater than original NMC)

The hypothesis was tested statistically using a paired one-tail t-test, tested at the 5% significance level. The results of paired samples statistics and paired samples test are presented in Table 4 and Table 5 respectively.

Table 4. The output of paired samples statistics

Mean Std. Deviation Std. Error Mean 13.42646 4.24582 MNC 65.6620 Pair MNMC 74.9910 15.82364 5.00387

Paired Samples Statistics 95% Confidence Interval Std. of the Difference Sig.(2-Std. Error df Mean Deviation Mean Lower Upper tailed) Pair MNC-14.57591 4.60931 1.09797 -2.0249 .074 19.75598 MNMC 9.32900 1

Table 5. The output of paired samples test

From the results, it can be seen that the sample mean for MNMC is 74.9910 while the sample mean of the original NMC is 65.6620 which is lower than the MNMC. The paired sample test shows that the two-tail probability value is 0.074 and thus the p-value = 0074/2 = 0.04 < 0.05 (5%). Therefore, H_0 is rejected and H_1 is accepted. It can be concluded that the accuracy of NMC has significantly increased with 95% confidence after the implementation of the new feature set partitioning method.

CONCLUSION

A new feature set partitioning method for constructing NMC ensembles has been presented. The basic idea is to decompose the original features set into several subsets. Afterward every individual NMC in ensemble is trained on a different projection of the original training set, and then combine them. The method was evaluated on several datasets. The results show that implementation of this method to NMC significantly out performs original NMC. Results indicated that the proposed method can be used to create better NMC ensembles. Additional issue to be further studied is how the method can be implemented with other classifier.

REFERENCES

Abdullah & Ku-Mahamud, K.R. (2011). Combined nearest mean classifiers for multiple feature classification. Proceedings of the 3rd International Conference on Computing and Informatics, 8-13.

- Abdullah & Ku-Mahamud, K.R. (2012). Prediction accuracy measurements for ensemble classifier. Proceedings of the 6th Knowledge Management International Conference, 102-107.
- Bay, S.D. (1998). Combining nearest neighbor classifiers through multiple feature subsets. *Proceedings of the 17th International Conference on Machine Learning*, 37-45.
- Bryll, R., Osuna, R.G. & Quek, F. (2003). Attribute bagging: improving accuracy of classifier ensembles by using random feature subsets. *Pattern Recognition*, 36, 1291-1302.
- Du, P., Sun, H. & Zhang, W. (2009). Target identification from high resolution remote sensing image by combining multiple classifiers. *Proceedings of Multiple Classifier System*, 408-417.
- Fukunaga, K. (1990). *Introduction to statistical pattern recognition* (2nded.). San Diego, CA, USA: Academic Press Professional Inc.
- Han, D., Han, C. & Yang, Y. (2007). Multiple classifiers fusion based on weighted evidence combination. Proceedings of the IEEE International Conference on Automation and Logistics, 2138-2143.
- Ho, T.K. (1998). The random subspace method for constructing decision forests. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 20(8), 832-844.
- Jain, A.K. & Chandrasekaran, B. (1982). Dimensionality and sample size consideration in pattern recognition practice. Handbook of Statistics, 2, 835-855.
- Parvin, H., Alizadeh, H. & Bidgoli, B.M. (2009). A new method for constructing classifier ensembles. *International Journal of Digital Content Technology and its Applications*, 3(2), 62-66.
- Rokach L. (2008). Genetic algorithm-based feature set partitioning for classification problems. *Pattern Recognition*, 41(5), 1676-1700.
- Shin, D. & Kim, S. (2009). Nearest mean classifier via-one class SVM. *Proceedings of the International Joint Conference on Computational Sciences and Optimization*, 1, 593-596.
- Suen, C.Y., Nadal, C., Mai A., Legault R. & Lam, L. (1990). Recognition of totally unconstrained handwritten numerals based on the concept of multiple experts. *Proceedings of International Workshop on Frontiers in Handwriting Recognition*, 131-143.
- Veenman, C.J. &Tax, D.M.J. (2005). A weighted nearest mean classifier for sparse subspaces. *Proceedings of Computer Vision and Pattern Recognition*, 2, 1171-1176.
- Wang, L-J., Wang, X-L, & Chan, Q-C. (2005). GA-based feature subset clustering for combination of multiple nearest neighbors classifiers. Proceedings of the 4th International Conference on Machine Learning and Cybernetics, 2982-2987.



CERTIFICATE OF PARTICIPATION

This certificate is awarded to

ABDULLAH

As a presenter at the

4th International Conference on Computing & Informatics 2013

Kuching, Sarawak

Merdeka Palace Hotel & Suites, Kuching, Sarawak

MALAYSIA

PROF. DR. ZULIKNA JAMALUDIN ICOCI 2013 Chair

